



**NOTES:**

- ① 6 FT. 12 GAUGE GALVANIZED STEEL U-CHANNEL POST WITH 3/8 IN. DIAMETER HOLES AT 1 IN. SPACING.
- ② SIGNAGE PROVIDED BY CITY OF WACO WATER UTILITY SERVICES DEPARTMENT AND INSTALLED BY CONTRACTOR. COORDINATE WITH WATER UTILITY SERVICES DEPARTMENT FOR SIGNS. SEE SIGN DETAILS FOR ADDITIONAL INFORMATION
- ③ EXISTING GROUND: IF DISTURBED, CONTRACTOR TO PROOF ROLL AND COMPACT PRIOR TO INSTALLING POST.
- ④ SIGN SHALL FACE PUBLIC STREET IF DIRECT LINE OF SIGHT IS AVAILABLE, OTHERWISE SIGN SHALL FACE LOGICAL VEHICLE PATH ALONG PUBLIC EASEMENT.

**DELINEATOR POST**  
(NO SCALE)

DISCLAIMER: THE USE OF THIS STANDARD IS GOVERNED BY THE "TEXAS ENGINEERING PRACTICE ACT". NO WARRANTY OF ANY KIND IS MADE BY THE CITY OF WACO FOR ANY PURPOSE WHATSOEVER. THE CITY OF WACO ASSUMES NO RESPONSIBILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR INCORRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.



**ENGINEERING  
DIVISION**



REVISIONS			
NO.	COMMENTS	BY	DATE
##	DESCRIPTION	FL	MO/DY/YEAR

DATE  
12/22/2021

**G-12**