


PLAN VIEW
(N.T.S.)



SECTION VIEW
(N.T.S.)

NOTES:

1. 6 IN. SERVICE TO MANHOLE REQUIRES NO CLEAN-OUT.
2. 6 IN. SERVICE SHALL CONNECT TO THE SEWER MAIN VIA A MANHOLE.
3. ADDITIONAL APPURTENANCES MAY BE REQUIRED PER SEWER PERMIT REQUIREMENTS.
4. ALL SEWER PENETRATIONS FOR EXISTING MANHOLES SHALL BE CORED.

SANITARY SEWER SERVICE - COMMERCIAL
(NO SCALE)

DISCLAIMER: THE USE OF THIS STANDARD IS GOVERNED BY THE "TEXAS ENGINEERING PRACTICE ACT". NO WARRANTY OF ANY KIND IS MADE BY THE CITY OF WACO FOR ANY PURPOSE WHATSOEVER. THE CITY OF WACO ASSUMES NO RESPONSIBILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR INCORRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.



**ENGINEERING
DIVISION**



REVISIONS			
NO.	COMMENTS	BY	DATE
##	DESCRIPTION	FL	MO/DY/YEAR

DATE
8/25/2021

S-4