



CITY OF WACO

Purchasing Services
Post Office Box 2570
Waco, Texas 76702-2570
254 / 750-8062
Fax: 254 / 750-8063
www.waco-texas.com

Date: December 8, 2022
RFB No: 2022-096
Commodity: WMARRS Central Wastewater Treatment Plant Perimeter Tree Clearing
Contact: daryleb@wacotx.gov

Closing Time: 2:00 P.M., December 21, 2022 (CT)
Opening Time: 2:01 P.M., December 21, 2022 (CT)

Bid Opening Location: Purchasing Services Office
1415 N. 4th Street, Waco, TX

Addendum No: 1

The above-mentioned bid invitation has been changed in the following manner. **Sign and return addendum to the Purchasing Office by the closing time and date with your RFB response.** Returning this page signed by your authorized agent will serve to acknowledge this change. All other requirements of the invitation remain unchanged. If you have any questions, please call or stop by the Purchasing Office at the above address.

THE FOLLOWING IS BEING ISSUED AS ADDENDUM NO. 1

PLEASE REVIEW THE FOLLOWING PAGES

- **Answers to questions asked.**

Firm: _____

Address _____

Signature of Person
Authorized to Sign Bid: _____

Signor's Name and Title
(print or type): _____

Date: _____ Telephone: _____ Fax: _____

RFB 2022-096
WMARRS Central Wastewater Treatment Plant Tree Clearing
Addendum 1

1. Can brush/trees be chipped and left on site? **No, it needs to be transported off site and disposed of, see #3 of Technical Specifications in RFB.**
2. Is hydroaxing an allowed method of clearing the vegetation? **Yes, it will be allowed if the equipment can stay within path to be cleared.**
3. What is the expected start date? **Estimated 30 days after contractor has been selected.**
4. Can pictures of the area that needs to be cleared of vegetation be provided to include the fence line? **Pictures can be provided but not until after the on-site meeting on 12 December 2022.**