City of Waco
February 2021
Texas Severe Winter Storm
DR-4586-TX
After Action Review Executive Summary





- \* Purpose
- \* Process
- \* Findings
  - \* Areas to Sustain
  - \* Areas for Improvement
- Place in time summary
- \* Conclusion
- Next Steps






- Purpose
- \* Process
- \* Findings
  - \* Areas to Sustain
  - Areas for Improvement
- Place in time summary
- **\*** Conclusion
- Next Steps









- **Process** 
  - \* Engage
    - \* All City departments and functions
    - Community and Non-governmental organizations
  - **\*** Evaluate
    - \* FEMA Recognized core capabilities



- Findings Areas to Sustain
  - Emergency pre-planning
  - Staff performance
  - Asset reallocation
  - Infrastructure resiliency
  - Expanded IT solutions
  - State coordination

- \* Training
- Operations
- Internal/External communications
- Vendor relationships
- Community relationships
- NGO coordination




\* Findings – Areas for Improvement

- \* Fleet
- \* Equipment
- \* Facilities/Infrastructure
- \* Technology
- \* Staffing
- Emergency Pre-planning
- Emergency Management
- **NGO Coordination**



Quick<60, Medial 60-180, Long 180-365, Further review 365+


- Place in time summary
  - 205 consecutive hours of sub-freezing temps
  - \* Weather records






Place in time summary

\* 42,208 electrical customers had outages



- Place in time summary
  - \* Water system consumed up to 38 MGD
  - Austere water conservation measures
  - Utility remained substantially functional











\* Next steps





























