



Purchasing Services
Post Office Box 2570
Waco, Texas 76702-2570
254 / 750-8062
Fax: 254 / 750-8063
www.waco-texas.com

CITY OF WACO

Date: November 28, 2022
RFB No: 2022-081
Commodity: Operational Street Improvements (City Wide)
Contact: Paul Campos pcampos@wacotx.gov

Closing Time: 2:00 P.M., November 30, 2022

Opening Time: 2:01 P.M., November 30, 2022

Bid Opening Location: St. Waco, Texas (Via Zoom Video & Dial-in)

Addendum No: 3

The above-mentioned bid invitation has been changed in the following manner. **Sign and return addendum to the Purchasing Office by the closing time and date with your RFB response.** Returning this page signed by your authorized agent will serve to acknowledge this change. All other requirements of the invitation remain unchanged. If you have any questions, please call or stop by the Purchasing Office at the above address.

THE FOLLOWING IS BEING ISSUED AS ADDENDUM NO. 3

PLEASE REVIEW THE FOLLOWING PAGES

- Revised Bid Sheet, note item 12. Excel Bid Sheet by request.
- Revised Plan Sheet.

Firm: _____

Address _____

Signature of Person
Authorized to Sign Bid: _____

Signor's Name and Title
(print or type): _____

Date: _____ Telephone: _____ Fax: _____

BID PROPOSAL FOR OPERATIONAL STREET IMPROVEMENTS (CITY-WIDE)
RFB 2022-081 - ADDENDUM NO. 3
PRESERVATION (18ST2201F) MILL & OVERLAY (18ST2202F)

ITEM NO	DESCRIPTION	EST QTY	UNIT	UNIT PRICE	ITEM AMOUNT
BASE BID					
1	MOBILIZATION	1	LS		
2	SWPP PLAN AND IMPLEMENTATION	1	LS		
3	TRAFFIC CONTROL PLAN AND IMPLEMENTATION	1	LS		
4	BETTER STREETS WACO SIGN ASSEMBLY, INCLUDING INSTALLATION	2	EA		
5	PROPOSED CONCRETE PAVEMENT (T = 8")	816	SY		
6	REMOVE EXISTING FILLET	100	SF		
7	PROPOSED CONCRETE FILLET	3,605	SF		
8	PROPOSED CONCRETE VALLEY GUTTER	3,460	SF		
9	CURB AND GUTTER REMOVAL	2,652	LF		
10	PROPOSED CURB AND GUTTER	2,851	LF		
11	PROPOSED CURB AND GUTTER (TRANSITION HEIGHT FROM 6" TO 2")	47	LF		
12	PROPOSED CURB AND GUTTER (EXTENDED CURB HEIGHT)	600	LF		
13	CURB EXTENSION (SEE SHEET C402 & C404)	90	LF		
14	LIMESTONE CURB REMOVAL AND TRANSPORT TO CITY YARD	866	LF		
15	REMOVE EXISTING CURB	68	LF		
16	REMOVE EXISTING GUTTER	906	LF		
17	PROPOSED GUTTER	40	LF		
18	PROPOSED RIBBON CURB	220	LF		
19	REMOVE EXISTING RIBBON CURB	80	LF		
20	REMOVE EXISTING DRIVE APPROACH	626	SF		
21	PROPOSED DRIVE APPROACH	463	SF		
22	REMOVE EXISTING SIDEWALK (INCLUDING ADA RAMPS AND LANDINGS)	2,720	SF		
23	PROPOSED SIDEWALK	1,070	SF		
24	PROPOSED SIDEWALK TIE-IN	575	SF		
25	PROPOSED SIDEWALK WITH 12" CURB	132	SF		
26	REMOVE EXISTING 24" CMP	52	LF		
27	18" RCP STORM PIPE	41	LF		
28	TXDOT TY- 2 SET (PSET-RC)(4:1)	2	EA		
29	REMOVE EXISTING TREES	9	EA		
30	RELOCATE FIRE HYDRANT	1	EA		
31	RELOCATE SIGN	4	EA		

ITEM NO	DESCRIPTION	EST QTY	UNIT	UNIT PRICE	ITEM AMOUNT
32	8" CEMENT TREATED BASE (PUG BASE) (SEE C408)	140	CY		
33	2" D-GR HMA TY-D SAC-B PG64-22 (OVERLAY) (SEE C408)	626	SY		
34	EARTHWORK AND GRADING	148	SY		
35	EXCAVATION (ROADWAY) (INCL. HAULOFF) (C408 ONLY)	175	CY		
36	REMOVE RAILROAD TRACKS (PER RAIL)	401	LF		
37	REPLACE EX. WATER METER BOX WITH TRAFFIC RATED BOX AND LID & ADJUST TO GRADE	1	EA		
38	BROADCAST SEED (PERM)(URBAN)(CLAY)(INCL WATERING)(TXDOT 164)	348	SY		
39	PROPOSED SIDEWALK TIE-IN WITH 12" CURB	8	SF		
40	TYPE 7 RAMP	15	EA		
41	TYPE 10 RAMP	5	EA		
42	REMOVE TOP SECTION OF EXISTING INLET	4	EA		
43	PROPOSED STORM DRAIN INLET RISER AND TOP	1	EA		
44	PROPOSED TOP SECTION OF CURB INLET	3	EA		
45	CRUSHED ROCK FILL (3/4")(ASTM C76, Class 3)(Depth = 6")	2,520	SF		
46	REMOVE ASPHALT PAVEMENT AND BASE (8" TOTAL DEPTH)	1,607	SY		
47	BASE FAILURE	152	SY		
48	ADJUST MANHOLE COVER TO GRADE (INCLUDING STORM, SEWER, WATER AND TELECOMMUNICATION)	1	EA		
49	ADJUST WATER VALVE COVER TO GRADE	6	EA		
BASE BID SUBTOTAL AMOUNT BID:					
ADD ALTERNATE #1					
1.01	MOBILIZATION, BONDING, AND INSURANCE	1	LS		
1.02	STORMWATER POLLUTION PREVENTION PLAN	1	LS		
1.03	STORMWATER POLLUTION PREVENTION PLAN IMPLEMENTATION	1	LS		
1.04	TRAFFIC CONTROL PLAN	1	LS		
1.05	TRAFFIC CONTROL PLAN IMPLEMENTATION	1	LS		
1.06	COORDINATION OF UTILITY INSTALLATIONS WITH PRIVATE UTILITY COMPANIES	1	LS		
2.01	REMOVE & DISPOSE OF REINFORCED CONCRETE CURB & GUTTER OR REINFORCED CONCRETE CURB OR GUTTER INCLUDING SAW CUT	15	LF		
2.02	REMOVE & DISPOSE OF REINFORCED CONCRETE SIDEWALK AND/OR CONCRETE FLAT WORK AND/OR CURBS AT STREET RADII WHERE PEDESTRIAN RAMPS ARE TO BE INSTALLED INCLUDING SAW CUT	136	SY		
2.03	REMOVE & DISPOSE OF EXISTING ROADWAY FOR CONCRETE FLAT WORK (FILLET) WHERE PEDESTRIAN RAMPS ARE TO BE INSTALLED INCLUDING SAW CUT	141	SY		
2.04	REMOVE & DISPOSE OF EXISTING DRIVE APPROACH, INCLUDING SAW CUT	10	SY		
3.01	STANDARD CURB & GUTTER, INCLUDING REINFORCEMENT, CONNECTIONS TO EXISTING CURB & GUTTER AND ALL MATERIALS, LABOR SAW CUT, EQUIPMENT AND INCIDENTALS	47	LF		
3.02	LAYDOWN CURB, INCLUDING REINFORCEMENT, CONNECTIONS TO EXISTING CURB & GUTTER AND ALL MATERIALS, LABOR SAW CUT, EQUIPMENT AND INCIDENTALS	244	LF		
3.03	4-INCH DEPTH CEMENT TREATED BASE PLACED UNDER PROPOSED LAYDOWN CURB & DRIVEWAYS INCLUDING ALL MATERIAL, SUBGRADE PREPARATION, LABOR, SAW CUT, EQUIPMENT AND INCIDENTALS	291	LF		

ITEM NO	DESCRIPTION	EST QTY	UNIT	UNIT PRICE	ITEM AMOUNT
3.04	6-INCH CONCRETE FLATWORK AND CONCRETE PAVEMENT, INCLUDING REINFORCEMENT, ANY NECESSARY EXCAVATION & SUBGRADE PREPARATION, CONNECTION TO EXISTING SIDEWALK, OTHER PAVEMENT AND ALL MATERIAL, LABOR, SAW CUT, EQUIPMENT AND INCIDENTALS. THIS ITEM INCLUDES 6-INCH CONCRETE FILLETS TO BE CONSTRUCTED	150	SY		
3.05	INSTALL 5-INCH DEPTH CONCRETE SIDEWALKS WITH CONSTRUCTION JOINTS, TOOLED JOINTS, CONNECTIONS TO CURB & GUTTER AND ALL MATERIALS, LABOR, EQUIPMENT AND INCIDENTALS	10	SY		
3.06	PROVIDE AND INSTALL ST. AUGUSTINE (RALEIGH) GRASS SOD, INCLUDING ALL MATERIAL, LABOR, EQUIPMENT, WATERING AND INCIDENTAL ITEMS, COMPLETE AND IN PLACE FOR	223	SY		
4.01	PROVIDE & INSTALL PEDESTRIAN RAMP TYPE 7 WITH DETECTABLE SURFACE & BASE, 5-INCH DEPTH CONCRETE, CONCRETE CURBS, REINFORCEMENT INCLUDING NECESSARY EXCAVATION & SUBGRADE PREPARATION AND ALL MATERIALS, LABOR, SAW CUT, EQUIPMENT AND INCIDENTALS	14	EA		
ADD ALTERNATE #1 SUBTOTAL AMOUNT BID:					
ADD ALTERNATE #2					
1	MOBILIZATION	1	LS		
2	SWPP PLAN AND IMPLEMENTATION	1	LS		
3	TRAFFIC CONTROL PLAN AND IMPLEMENTATION	1	LS		
4	PROPOSED CONCRETE FILLET	220	SF		
5	PROPOSED CONCRETE VALLEY GUTTER	164	SF		
6	CURB AND GUTTER REMOVAL	1,037	LF		
7	PROPOSED CURB AND GUTTER	988	LF		
8	REMOVE EXISTING DRIVE APPROACH	862	SF		
9	PROPOSED DRIVE APPROACH	864	SF		
10	REMOVE EXISTING SIDEWALK (INCLUDING ADA RAMPS AND LANDINGS)	186	SF		
11	PROPOSED SIDEWALK	186	SF		
12	REMOVE EXISTING TREES	1	EA		
13	REMOVE ASPHALT PAVEMENT AND BASE (8" TOTAL DEPTH)	49	SY		
14	BASE FAILURE	56	SY		
ADD ALTERNATE #2 SUBTOTAL AMOUNT BID:					
TOTAL AMOUNT BID (BASE BID + ADD ALTERNATE #1 + ADD ALTERNATE #2):					

ITEM NO	DESCRIPTION	EST QTY	UNIT	UNIT PRICE	ITEM AMOUNT
------------	-------------	---------	------	------------	-------------

I WILL USE THE FOLLOWING SUBCONTRACTORS FOR THIS WORK: **NOTE- PLEASE LIST SUB-CONTRATOR MWBE STATUS, USING FORM ON PAGE 73.**

SUBCONTRACTOR TYPE OF WORK

FIRM NAME: _____

BY (SIGNED): _____

TITLE: _____

ADDRESS: _____

Contractor acknowledges and agrees that the official TOTAL AMOUNT OF BID is determined by multiplying the unit bid prices by the respective estimated quantities shown in this bid proposal and then totaling all of the extended amounts. Extended amounts SHOULD NOT be rounded up or down. All dollar amounts should be either written legibly or typed. Any mistakes should be rewritten and initialed by the Contractor.

Contractor also acknowledges and agrees to perform the work utilizing its own organization on at least 30% of the total original Contract cost, excluding any specialty items as determined by the Engineer. Specialty items are those that require specialized knowledge, abilities, or equipment not usually available in the contracting firm expected to bid on the proposed Contract as a whole.

S:\Engineering\PROJECTS\PROJECTS ACTIVE\2022 Street Preservation Ph 3-Concrete Work Only\300 Engineering Services\300.03 Design\2022 Street Preservation Ph 2.dwg PLOT DATE: 11/23/2022 11:11 AM by DOROTHY GONZALES

BASE BID


ITEM NO.	UNIT	DESCRIPTION	TOTAL QTY
1	LS	MOBILIZATION	1
2	LS	SWPP PLAN AND IMPLEMENTATION	1
3	LS	TRAFFIC CONTROL PLAN AND IMPLEMENTATION	1
4	EA	BETTER STREETS WACO SIGN ASSEMBLY, INCLUDING INSTALLATION	2
5	SY	PROPOSED CONCRETE PAVEMENT (T = 8")	816
6	SF	REMOVE EXISTING FILLET	100
7	SF	PROPOSED CONCRETE FILLET	3,605
8	SF	PROPOSED CONCRETE VALLEY GUTTER	3,460
9	LF	CURB AND GUTTER REMOVAL	2,652
10	LF	PROPOSED CURB AND GUTTER	2,851
11	LF	PROPOSED CURB AND GUTTER (TRANSITION HEIGHT FROM 6" TO 2")	47
12	LF	PROPOSED CURB AND GUTTER (EXTENDED CURB HEIGHT)	600
13	LF	CURB EXTENSION (SEE SHEET C402 & C404)	90
14	LF	LIMESTONE CURB REMOVAL AND TRANSPORT TO CITY YARD	866
15	LF	REMOVE EXISTING CURB	68
16	LF	REMOVE EXISTING GUTTER	906
17	LF	PROPOSED GUTTER	40
18	LF	PROPOSED RIBBON CURB	220
19	LF	REMOVE EXISTING RIBBON CURB	80
20	SF	REMOVE EXISTING DRIVE APPROACH	626
21	SF	PROPOSED DRIVE APPROACH	463
22	SF	REMOVE EXISTING SIDEWALK (INCLUDING ADA RAMPS AND LANDINGS)	2,720
23	SF	PROPOSED SIDEWALK	1,070
24	SF	PROPOSED SIDEWALK TIE-IN	575
25	SF	PROPOSED SIDEWALK WITH 12" CURB	132
26	LF	REMOVE EXISTING 24" CMP	52
27	LF	18" RCP STORM PIPE	41
28	EA	TXDOT TY-2 SET (PSET-RC)(4:1)	2
29	EA	REMOVE EXISTING TREES	9
30	EA	RELOCATE FIRE HYDRANT	1
31	EA	RELOCATE SIGN	4
32	CY	8" CEMENT TREATED BASE (PUG BASE) (SEE C408)	140
33	SY	2" D-GR HMAC TY-D SAC-B PG64-22 (OVERLAY) (SEE C408)	626
34	SY	EARTHWORK AND GRADING	148
35	CY	EXCAVATION (ROADWAY) (INCL. HAULOFF) (C408 ONLY)	175
36	LF	REMOVE RAILROAD TRACKS (PER RAIL)	401
37	EA	REPLACE EX. WATER METER BOX WITH TRAFFIC RATED BOX AND LID & ADJUST TO GRADE	1
38	SY	BROADCAST SEED (PERM)(URBAN)(CLAY)(INCL WATERING)(TXDOT 164)	348
39	SF	PROPOSED SIDEWALK TIE-IN WITH 12" CURB	8
40	EA	TYPE 7 RAMP	15
41	EA	TYPE 10 RAMP	5
42	EA	REMOVE TOP SECTION OF EXISTING INLET	4
43	EA	PROPOSED STORM DRAIN INLET RISER AND TOP	1
44	EA	PROPOSED TOP SECTION OF CURB INLET	3
45	SF	CRUSHED ROCK FILL (3/4")(ASTOM C76, Class 3)(Depth = 6")	2,520
46	SY	REMOVE ASPHALT PAVEMENT AND BASE (8" TOTAL DEPTH)	1,607
47	SY	BASE FAILURE	152
48	EA	ADJUST MANHOLE COVER TO GRADE (INCLUDING STORM, SEWER, WATER AND TELECOMMUNICATION)	1
49	EA	ADJUST WATER VALVE COVER TO GRADE	6

ADD ALTERNATE NO. 1

PROPOSAL BID NUMBER	UNIT	DESCRIPTION	TOTAL QUANTITY
1.01	LS	Mobilization, Bonding, and Insurance	1
1.02	LS	Stormwater Pollution Prevention Plan	1
1.03	LS	Stormwater Pollution Prevention Plan Implementation	1
1.04	LS	Traffic Control Plan	1
1.05	LS	Traffic Control Plan Implementation	1
1.06	LS	Coordination of Utility installations with Private Utility Companies	1
2.01	LF	Remove & Dispose of Reinforced Concrete Curb & Gutter or Reinforced Concrete Curb or Gutter including saw cut	15
2.02	SY	Remove & Dispose of Reinforced Concrete Sidewalk and/or Concrete Flat Work and/or Curbs at Street Radii where Pedestrian Ramps are to be installed including saw cut	136
2.03	SY	Remove & Dispose of Existing Roadway for Concrete Flat Work (Filletts) where Pedestrian Ramps are to be installed including saw cut	141
2.04	SY	Remove & Dispose of Existing Drive Approach, including saw cut	10
3.01	LF	Standard Curb & Gutter, including reinforcement, connections to existing curb & gutter and all materials, labor saw cut, equipment and incidentals	47
3.02	LF	Laydown Curb, including reinforcement, connections to existing curb & gutter and all materials, labor saw cut, equipment and incidentals	244
3.03	LF	4-inch depth Cement Treated Base placed under proposed laydown curb & driveways including all material, subgrade preparation, labor, saw cut, equipment and incidentals	291
3.04	SY	6-inch Concrete Flatwork and Concrete Pavement, including reinforcement, any necessary excavation & subgrade preparation, connection to existing sidewalk, other pavement and all material, labor, saw cut, equipment and incidentals. This item includes 6-inch concrete fillets to be constructed	150
3.05	SY	Install 5-inch Depth Concrete Sidewalks with Construction Joints, Tooled Joints, Connections to Curb & Gutter and all materials, labor, equipment and incidentals	10
3.06	SY	Provide and Install St. Augustine (Raleigh) Grass Sod, including all material, labor, equipment, watering and incidental items, Complete and In Place for	223
4.01	EA	Provide & install Pedestrian Ramp Type 7 with detectable surface & base, 5-inch depth concrete, concrete curbs, reinforcement including necessary excavation & subgrade preparation and all materials, labor, saw cut, equipment and incidentals	14

ADD ALTERNATE NO. 2


ITEM NO.	UNIT	DESCRIPTION	TOTAL QTY
1	LS	MOBILIZATION	1
2	LS	SWPP PLAN AND IMPLEMENTATION	1
3	LS	TRAFFIC CONTROL PLAN AND IMPLEMENTATION	1
4	SF	PROPOSED CONCRETE FILLET	220
5	SF	PROPOSED CONCRETE VALLEY GUTTER	164
6	LF	CURB AND GUTTER REMOVAL	1,037
7	LF	PROPOSED CURB AND GUTTER	988
8	SF	REMOVE EXISTING DRIVE APPROACH	862
9	SF	PROPOSED DRIVE APPROACH	864
10	SF	REMOVE EXISTING SIDEWALK (INCLUDING ADA RAMPS AND LANDINGS)	186
11	SF	PROPOSED SIDEWALK	186
12	EA	REMOVE EXISTING TREES	1
13	SY	REMOVE ASPHALT PAVEMENT AND BASE (8" TOTAL DEPTH)	49
14	SY	BASE FAILURE	56



OPERATIONAL STREET IMPROVEMENTS
(CITY-WIDE)

SCHEDULE OF QUANTITIES

ADDENDUM NO. 3	11/22	
NO.	REVISION	DATE



Design: DAG	Approved: JR
Checked: JSH	Project Mgr.: JSH

Project No: 18ST2201F	Sheet No. C003
Sheet Size: 11x17	
Issue Date: NOVEMBER 2022	