



4 IN. BASE MATERIAL MAY BE ONE OF THE FOLLOWING SELECTED FOR THE ENTIRE PROJECT AND COMPACTED IN ACCORDANCE WITH [G-1C](#):

- A. TYPE "A" MATERIAL PER STANDARD SPECIFICATIONS FOR CONSTRUCTION SECTION 4.2 EXCAVATION AND BACKFILL PART 2: PRODUCT A. MATERIALS 3. TRENCH BACKFILL A. TYPE "A." MATERIAL
- B. RECYCLED CRUSHED CONCRETE TxDOT STANDARD SPECIFICATIONS FOR CONSTRUCTION ITEM 247 FLEXIBLE BASE TYPE D GRADE 1-2 EXCLUDING TYPE A MATERIAL, WITH MINIMUM P.I. OF FOUR
- C. PORTLAND CEMENT TREATED BASE (AFTER COMPACTION) COVERED BY 10 MIL. POLYETHYLENE BOND BREAKER

STREET REHABILITATION DRIVEWAY VALLEY CURB DETAIL (STREET REHABILITATION USE ONLY)

(NO SCALE)



ENGINEERING DIVISION

DISCLAIMER: THE USE OF THIS STANDARD IS GOVERNED BY THE "TEXAS ENGINEERING PRACTICE ACT". NO WARRANTY OF ANY KIND IS MADE BY THE CITY OF WACO FOR ANY PURPOSE WHATSOEVER. THE CITY OF WACO ASSUMES NO RESPONSIBILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR INCORRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.

REVISIONS			
NO.	COMMENTS	BY	DATE
1	MODIFY BASE NOTE	MZ	04/28/2025
##	DESCRIPTION	FL	MM/DD/YYYY

DATE
01/01/2024

ST-18