



**TEXAS NOTIFIABLE CONDITIONS 2022**

**24/7/365 DISEASE REPORTING LINE – 254-750-5411**

**REPORT ALL CONFIRMED AND SUSPECTED CASES**

(Call us if you have any questions)

**CALL NOW – 254-750-5411**

<b>Anthrax</b>	<b>Lead</b> , child blood, any level & adult blood, any level	<b>Smallpox</b>
<b>Botulism</b>	<b>Measles</b> (rubeola)	<b>Staphylococcal aureus</b> , VISA and VRSA
<b>Controlled substance overdose</b>	<b>Meningococcal infection</b> , Invasive (Neisseria meningitides)	<b>Tularemia</b>
<b>Coronavirus, novel</b>	<b>Plague</b> (Yersinia pestis)	<b>Viral Hemorrhagic fever</b> (including Ebola)
<b>Diphtheria</b>	<b>Poliomyelitis</b> , acute paralysis	<b>Yellow Fever</b>
<b>Influenza, novel</b>	<b>Rabies</b> , human	

**REPORT WITHIN ONE BUSINESS DAY - CALL NOW – 254-750-5411 OR FAX 254-750-5405**

<b>Brucellosis</b>	<b>Mumps</b>
<b>Candida auris</b>	<b>Pertussis</b>
Carbapenem Resistant Enterobacteriaceae (CRE)	<b>Poliovirus infection</b> , non-paralytic
<b>Hepatitis A</b>	<b>Q-Fever</b>
<b>Hepatitis B</b> , perinatal (HBsAg =< 24 months old)	<b>Rubella</b> (including congenital)
<sup>1</sup> <b>Human immunodeficiency virus (HIV)</b> , acute infection	<sup>6</sup> <b>Syphilis</b> – primary and secondary stages
<b>Influenza-associated pediatric mortality</b>	<sup>8</sup> <b>Tuberculosis (Mycobacterium tuberculosis complex)</b>
	<b>Vibrio Infection</b> , including cholera

**REPORT WITHIN FIVE BUSINESS DAYS - CALL NOW – 254-750-5411 OR FAX 254-750-5405**

<sup>2</sup> <b>Acquired immune deficiency syndrome (AIDS)</b>	<b>Fascioliasis</b>	<b>Salmonellosis</b> , including typhoid fever
<b>Amebic meningitis and encephalitis</b>	<sup>4</sup> <b>Gonorrhea</b>	<b>Shiga toxin-producing Escherichia coli (STEC)</b>
<b>Anaplasmosis</b>	<b>Haemophilus influenza</b> , invasive	<b>Shigellosis</b>
<b>Arboviral infection</b>	<b>Hansen’s disease (leprosy)</b>	<b>Silicosis</b>
<b>Asbestosis</b>	<b>Hantavirus infection</b>	<b>Spotted fever group rickettsiosis</b>
<b>Ascariasis</b>	<b>Hemolytic uremic syndrome (HUS)</b>	<b>Streptococcal disease</b> (S. pneumoniae), invasive
<b>Babesiosis</b>	<b>Hepatitis B, C, and E (acute)</b>	<b>Syphilis - all other stages</b> including congenital syphilis
<b>Campylobacteriosis</b>	<b>Hepatitis B infection identified prenatally or at delivery</b>	<b>Taenia solium</b> and undifferentiated Taenia infection
<sup>9</sup> <b>Cancer</b>	<b>Hookworm (ancylostomiasis)</b>	<b>Tetanus</b>
<b>Chagas disease</b>	<sup>5</sup> <b>Human immunodeficiency virus (HIV)</b> , non-acute infection	<b>Tick-borne relapsing fever (TBRF)</b>
<b>Chancroid</b>	<b>Legionellosis</b>	<b>Trichinosis</b>
<b>Chicken pox (varicella)</b>	<b>Leishmaniasis</b>	<b>Trichuriasis</b>
<sup>3</sup> <b>Chlamydia trachomatis infection</b>	<b>Listeriosis</b>	<sup>7</sup> <b>Tuberculosis infection</b>
<b>Cryptosporidiosis</b>	<b>Lyme Disease</b>	<b>Typhus</b>
<b>Cyclosporiasis</b>	<b>Malaria</b>	<b>Yersiniosis</b>
<b>Cysticercosis</b>	<b>Paragonimiasis</b>	
<b>Echinococcosis</b>	<b>Pesticide poisoning</b> , acute occupational	
<b>Ehrlichiosis</b>	<b>Prion Disease</b> such as Creutzfeldt Jakob disease (CJD)	

**REPORT WITHIN TEN BUSINESS DAYS - CALL NOW – 254-750-5411 OR FAX 254-750-5405**

<b>Drowning/near drowning</b>	<b>Spinal cord injury</b>	<b>Traumatic brain injury</b>
-------------------------------	---------------------------	-------------------------------

<sup>1,2,3,4,5,6</sup> Call (254)750-5498

<sup>7,8</sup> Call (254)750-5496

<sup>9</sup> Refer to <http://www.dshs.state.tx.us/tcr/reporting.shtm>

<sup>10</sup> Refer to [http://www.dshs.state.tx.us/birthdefects/BD\\_LawRules.shtm](http://www.dshs.state.tx.us/birthdefects/BD_LawRules.shtm)

**In addition to the specified reportable conditions, any outbreak, exotic disease, or unusual group expression of disease that may be of public health concern should be reported by the most expeditious means available.**

# Texas Notifiable Conditions - 2022

**Report all Confirmed and Suspected cases**

**24/7 Number for Immediately Reportable – 1-800-705-8868**

Unless noted by\*, report to your local or regional health department using number above or find contact information at <http://www.dshs.texas.gov/idcu/investigation/conditions/contacts/>

Access List Online



Contact Information



A – L	When to Report	L – Y	When to Report
*Acquired immune deficiency syndrome (AIDS) <sup>1</sup>	Within 1 week	Legionellosis <sup>2</sup>	Within 1 week
Amebic meningitis and encephalitis <sup>2</sup>	Within 1 week	Leishmaniasis <sup>2</sup>	Within 1 week
Anaplasmosis <sup>2</sup>	Within 1 week	Listeriosis <sup>2, 3</sup>	Within 1 week
<b>Anthrax</b> <sup>2, 3, 25</sup>	<b>Call Immediately</b>	Lyme disease <sup>2</sup>	Within 1 week
Arboviral infections <sup>2, 4, 5</sup>	Within 1 week	Malaria <sup>2</sup>	Within 1 week
*Asbestosis <sup>6</sup>	Within 1 week	<b>Measles (rubeola)</b> <sup>2</sup>	<b>Call Immediately</b>
Ascariasis <sup>2</sup>	Within 1 week	<b>Meningococcal infection, invasive (<i>Neisseria meningitidis</i>)</b> <sup>2, 3</sup>	<b>Call Immediately</b>
Babesiosis <sup>2, 5</sup>	Within 1 week	<b>Mumps</b> <sup>2</sup>	<b>Within 1 work day</b>
<b>Botulism (adult and infant)</b> <sup>2, 3, 7, 25</sup>	<b>Call Immediately</b> <sup>7</sup>	Paragonimiasis <sup>2</sup>	Within 1 week
<b>Brucellosis</b> <sup>2, 3, 25</sup>	<b>Within 1 work day</b>	<b>Pertussis</b> <sup>2</sup>	<b>Within 1 work day</b>
Campylobacteriosis <sup>2</sup>	Within 1 week	*Pesticide poisoning, acute occupational <sup>8</sup>	Within 1 week
*Cancer <sup>9</sup>	See rules <sup>9</sup>	<b>Plague (<i>Yersinia pestis</i>)</b> <sup>2, 3, 25</sup>	<b>Call Immediately</b>
<b>Candida auris</b> <sup>2, 3, 10</sup>	<b>Within 1 work day</b>	<b>Poliomyelitis, acute paralytic</b> <sup>2</sup>	<b>Call Immediately</b>
<b>Carbapenem-resistant <i>Enterobacteriales</i> (CRE)</b> <sup>2, 11</sup>	<b>Within 1 work day</b>	<b>Poliovirus infection, non-paralytic</b> <sup>2</sup>	<b>Within 1 work day</b>
Chagas disease <sup>2, 5</sup>	Within 1 week	Prion disease such as Creutzfeldt-Jakob disease (CJD) <sup>2, 12</sup>	Within 1 week
*Chancroid <sup>1</sup>	Within 1 week	<b>Q fever</b> <sup>2</sup>	<b>Within 1 work day</b>
*Chickenpox (varicella) <sup>13</sup>	Within 1 week	<b>Rabies, human</b> <sup>2</sup>	<b>Call Immediately</b>
* <i>Chlamydia trachomatis</i> infection <sup>1</sup>	Within 1 week	<b>Rubella (including congenital)</b> <sup>2</sup>	<b>Within 1 work day</b>
*Contaminated sharps injury <sup>14</sup>	Within 1 month	Salmonellosis, including typhoid fever <sup>2, 3</sup>	Within 1 week
* <b>Controlled substance overdose</b> <sup>15</sup>	<b>Report Immediately</b>	Shiga toxin-producing <i>Escherichia coli</i> <sup>2, 3</sup>	Within 1 week
<b>Coronavirus, novel</b> <sup>2, 16</sup>	<b>Call Immediately</b>	Shigellosis <sup>2</sup>	Within 1 week
Cryptosporidiosis <sup>2</sup>	Within 1 week	*Silicosis <sup>17</sup>	Within 1 week
Cyclosporiasis <sup>2</sup>	Within 1 week	<b>Smallpox</b> <sup>2, 25</sup>	<b>Call Immediately</b>
Cysticercosis <sup>2</sup>	Within 1 week	*Spinal cord injury <sup>18</sup>	Within 10 work days
<b>Diphtheria</b> <sup>2, 3</sup>	<b>Call Immediately</b>	Spotted fever rickettsiosis <sup>2</sup>	Within 1 week
*Drowning/near drowning <sup>18</sup>	Within 10 work days	Streptococcal disease ( <i>S. pneumo.</i> <sup>2, 3</sup> ), invasive	Within 1 week
Echinococcosis <sup>2</sup>	Within 1 week	<b>*Syphilis – primary and secondary stages</b> <sup>1, 19</sup>	<b>Within 1 work day</b>
Ehrlichiosis <sup>2</sup>	Within 1 week	*Syphilis – all other stages including congenital syphilis <sup>1, 19</sup>	Within 1 week
Fascioliasis <sup>2</sup>	Within 1 week	<i>Taenia solium</i> and undifferentiated <i>Taenia</i> infection <sup>2</sup>	Within 1 week
*Gonorrhea <sup>1</sup>	Within 1 week	Tetanus <sup>2</sup>	Within 1 week
<i>Haemophilus influenzae</i> , invasive <sup>2, 3</sup>	Within 1 week	Tick-borne relapsing fever (TBRF) <sup>2</sup>	Within 1 week
Hansen's disease (leprosy) <sup>20</sup>	Within 1 week	*Traumatic brain injury <sup>18</sup>	Within 10 work days
Hantavirus infection <sup>2</sup>	Within 1 week	Trichinosis <sup>2</sup>	Within 1 week
Hemolytic uremic syndrome (HUS) <sup>2</sup>	Within 1 week	Trichuriasis <sup>2</sup>	Within 1 week
<b>Hepatitis A</b> <sup>2</sup>	<b>Within 1 work day</b>	<b>Tuberculosis (<i>Mycobacterium tuberculosis</i> complex)</b> <sup>3, 21</sup>	<b>Within 1 work day</b>
Hepatitis B, C, and E (acute) <sup>2</sup>	Within 1 week	Tuberculosis infection <sup>22</sup>	Within 1 week
Hepatitis B infection identified prenatally or at delivery (mother) <sup>2</sup>	Within 1 week	<b>Tularemia</b> <sup>2, 3, 25</sup>	<b>Call Immediately</b>
<b>Hepatitis B, perinatal (HBsAg+ &lt; 24 months old) (child)</b> <sup>2</sup>	<b>Within 1 work day</b>	Typhus <sup>2</sup>	Within 1 week
Hookworm (ancylostomiasis) <sup>2</sup>	Within 1 week	<b>Vancomycin-intermediate <i>Staph aureus</i> (VISA)</b> <sup>2, 3</sup>	<b>Call Immediately</b>
* <b>Human immunodeficiency virus (HIV), acute infection</b> <sup>1, 23</sup>	<b>Within 1 work day</b>	<b>Vancomycin-resistant <i>Staph aureus</i> (VRSA)</b> <sup>2, 3</sup>	<b>Call Immediately</b>
*Human immunodeficiency virus (HIV), non-acute infection <sup>1, 23</sup>	Within 1 week	<b><i>Vibrio</i> infection, including cholera</b> <sup>2, 3</sup>	<b>Within 1 work day</b>
<b>Influenza-associated pediatric mortality</b> <sup>2</sup>	<b>Within 1 work day</b>	<b>Viral hemorrhagic fever (including Ebola)</b> <sup>2, 25</sup>	<b>Call Immediately</b>
<b>Influenza, novel</b> <sup>2</sup>	<b>Call Immediately</b>	<b>Yellow fever</b> <sup>2</sup>	<b>Call Immediately</b>
* <b>Lead, child blood, any level &amp; adult blood, any level</b> <sup>24</sup>	<b>Call/Fax Immediately</b>	Yersiniosis <sup>2</sup>	Within 1 week

In addition to specified reportable conditions, **any outbreak, exotic disease, or unusual group expression of disease that may be of public health concern should be reported by the most expeditious means available. This includes any case of a select agent** <sup>25</sup>

See select agent list at <https://www.selectagents.gov/selectagentsandtoxinslist.html>

\*See condition-specific footnotes for reporting contact information

## Texas Notifiable Conditions Footnotes - 2022

- <sup>1</sup> Please refer to specific rules and regulations for HIV/STD reporting and who to report to at: <http://www.dshs.texas.gov/hivstd/healthcare/reporting.shtm>.
- <sup>2</sup> Reporting forms are available at <http://www.dshs.texas.gov/idcu/investigation/forms/> and investigation forms at <http://www.dshs.texas.gov/idcu/investigation/>. Call as indicated for immediately reportable conditions.
- <sup>3</sup> Lab samples of the following must be sent to the Department of State Health Services, Laboratory Services Section, 1100 West 49th Street, Austin, Texas 78756-3199 or other public health laboratory as designated by the Department of State Health Services: *Bacillus anthracis* isolates (also requested- *Bacillus cereus* isolates that may contain anthrax toxin genes from patients with severe disease or death), *Clostridium botulinum* isolates, *Brucella* species isolates, *Candida auris* isolates, *Corynebacterium diphtheriae* isolates, *Haemophilus influenzae* isolates from normally sterile sites in children under five years old, *Listeria monocytogenes* isolates, *Neisseria meningitidis* isolates from normally sterile sites or purpuric lesions, *Yersinia pestis* isolates, *Salmonella* species isolates (also requested - specimens positive for *Salmonella* by culture-independent diagnostic testing (CIDT) methods), Shiga toxin-producing *Escherichia coli* (all *E.coli* O157:H7 isolates and any *E.coli* isolates or specimens in which Shiga toxin activity has been demonstrated), isolates of all members of the *Mycobacterium tuberculosis* complex, *Staphylococcus aureus* with a vancomycin MIC greater than 2 µg/mL (VISA and VRSA), *Streptococcus pneumoniae* isolates from normally sterile sites in children under five years old, *Francisella tularensis* isolates, and *Vibrio* species isolates (also requested - specimens positive for *Vibrio* by culture-independent diagnostic testing (CIDT) methods). Pure cultures (or specimens) should be submitted as they become available accompanied by a current department Specimen Submission Form. See the [Texas Administrative Code \(TAC\) Chapter 97](#): §97.3(a)(4), §97.4(a)(6), and §97.5(a)(2)(C). Call 512-776-7598 for specimen submission information.
- <sup>4</sup> Arboviral infections including, but not limited to, those caused by California serogroup viruses, chikungunya virus, dengue virus, Eastern equine encephalitis (EEE) virus, St. Louis encephalitis (SLE) virus, Western equine encephalitis (WEE) virus, West Nile (WN) virus, and Zika virus.
- <sup>5</sup> All blood collection centers should report all donors with reactive tests for West Nile virus, Zika virus, *Babesia* species, and *Trypanosoma cruzi* (Chagas disease) to the DSHS Zoonosis Control Branch. If your center uses a screening assay under an IND protocol, please include results of follow-up testing as well. To report, simply send a secure email to [WNV@dshs.texas.gov](mailto:WNV@dshs.texas.gov) or fax the report to 512-776-7454. Providing the following data points will suffice: Collection Agency; Unique BUI #; Test Name, Collection Date; Last Name, First Name, Donor Phone Number, Donor Address, Date of Birth, Age, Sex, Race, and Hispanic Ethnicity (Y/N). If your location has a city or county health department, we recommend that you also share this same information with them. Contact information for the health department(s) serving the county where you are located can be found at [www.dshs.texas.gov/idcu/investigation/conditions/contacts/](http://www.dshs.texas.gov/idcu/investigation/conditions/contacts/).
- <sup>6</sup> For asbestos reporting information see <http://www.dshs.texas.gov/epitox/Asbestosis-and-Silicosis-Surveillance/>.
- <sup>7</sup> Report suspected botulism immediately by phone to 888-963-7111.
- <sup>8</sup> For pesticide reporting information see <http://www.dshs.texas.gov/epitox/Pesticide-Exposure>.
- <sup>9</sup> For more information on cancer reporting rules and requirements go to <http://www.dshs.texas.gov/tcr/reporting.shtm>.
- <sup>10</sup> See additional *Candida auris* reporting information at [https://www.dshs.texas.gov/IDCU/health/antibiotic\\_resistance/Cauris-Home.aspx](https://www.dshs.texas.gov/IDCU/health/antibiotic_resistance/Cauris-Home.aspx).
- <sup>11</sup> See additional CRE reporting information at [http://www.dshs.texas.gov/IDCU/health/antibiotic\\_resistance/Reporting-CRE.doc](http://www.dshs.texas.gov/IDCU/health/antibiotic_resistance/Reporting-CRE.doc).
- <sup>12</sup> For purposes of surveillance, CJD notification also includes Kuru, Gerstmann-Sträussler-Scheinker (GSS) disease, fatal familial insomnia (FFI), sporadic fatal insomnia (sFI), Variably Protease-Sensitive Prionopathy (VPSPr), and any novel prion disease affecting humans.
- <sup>13</sup> Call your [local health department](#) for a copy of the Varicella Reporting Form with their fax number. The [Varicella \(Chickenpox\) Reporting Form](#) should be used instead of an Epi-1 or Epi-2 morbidity report.
- <sup>14</sup> Applicable for governmental entities. Not applicable to private facilities. ([TAC §96.201](#)) Initial reporting forms for Contaminated Sharps at [http://www.dshs.texas.gov/idcu/health/infection\\_control/bloodborne\\_pathogens/reporting/](http://www.dshs.texas.gov/idcu/health/infection_control/bloodborne_pathogens/reporting/).
- <sup>15</sup> To report a Controlled Substance Overdose, go to <https://odreport.dshs.texas.gov/>.
- <sup>16</sup> Novel coronavirus causing severe acute respiratory disease includes Coronavirus Disease 2019 (COVID-19), Middle East Respiratory Syndrome (MERS) and Severe Acute Respiratory Syndrome (SARS).
- <sup>17</sup> For silicosis reporting information see <http://www.dshs.texas.gov/epitox/Asbestosis-and-Silicosis-Surveillance/>.
- <sup>18</sup> Please refer to specific rules and regulations for injury reporting and who to report to at <http://www.dshs.texas.gov/injury/rules.shtm>.
- <sup>19</sup> Laboratories should report syphilis test results within 3 work days of the testing outcome.
- <sup>20</sup> Reporting forms are available at <https://www.dshs.texas.gov/idcu/disease/hansens/forms.shtm>.
- <sup>21</sup> Reportable tuberculosis disease includes the following: suspected tuberculosis disease pending final laboratory results; positive nucleic acid amplification tests; clinically or laboratory-confirmed tuberculosis disease; and all *Mycobacterium tuberculosis* (*M. tb*) complex including *M. tuberculosis*, *M. bovis*, *M. africanum*, *M. canettii*, *M. microti*, *M. caprae*, and *M. pinnipedii*. See rules and reporting information at <http://www.dshs.texas.gov/idcu/disease/tb/reporting/>.
- <sup>22</sup> TB infection is determined by a positive result from an FDA-approved Interferon-Gamma Release Assay (IGRA) test such as T-Spot<sup>®</sup> TB or QuantiFERON<sup>®</sup> - TB GOLD In-Tube Test or a tuberculin skin test, and a normal chest radiograph with no presenting symptoms of TB disease. See rules and reporting information at <http://www.dshs.texas.gov/idcu/disease/tb/reporting/>. Please report skin test results in millimeters.
- <sup>23</sup> Any person suspected of having HIV should be reported, including HIV exposed infants.
- <sup>24</sup> For lead reporting information see <http://www.dshs.texas.gov/lead/Reporting-Laws-Administrative-Code.aspx>.
- <sup>25</sup> Please secure select agent isolates and specimens in accordance with the guidance in the [Select Agent Regulation](#), and immediately initiate a consultation with public health regarding need for further testing or sequencing. Notify any transfer facilities of any test results of high consequence/interest.