



CITY OF WACO

Purchasing Services
Post Office Box 2570
Waco, Texas 76702-2570
254 / 750-8062
Fax: 254 / 750-8063
www.waco-texas.com

Date: **05/08/19**
RFB No: **2019-019**
Commodity: **Street Improvements, 2019 Mill & Overlay**

Pre- Bid Time: 10:00 A.M., April 30, 2019
Closing Time: 2:00 P.M., May 14, 2019
Opening Time: 2:01 P.M., May 14, 2019

Bid Opening Location: Purchasing Services Office
1415 N. 4th Street, Waco, TX

Addendum No: 3

The above-mentioned bid invitation has been changed in the following manner. **Sign and return addendum to the Purchasing Office by the closing time and date with your RFB response.** Returning this page signed by your authorized agent will serve to acknowledge this change. All other requirements of the invitation remain unchanged. If you have any questions, please call or stop by the Purchasing Office at the above address.

THE FOLLOWING IS BEING ISSUED AS ADDENDUM NO. 3

Contract Documents

1. The Bid Proposal has been reissued in its entirety. Revisions include:
 - 1.1. Addition of quantities for:
 - 1.1.1. Item 32 REPLACE MANHOLE RING AND COVER PER ST-7A
 - 1.1.2. Item 33 REPLACE VALVE BOX PER ST-7B
2. The Plan Set has been reissued in its entirety. Revisions include:
 - 2.1. Revised Schedule of Quantities Sheets C002

PLEASE REVIEW THE FOLLOWING PAGES

Firm: _____

Address _____

Signature of Person
Authorized to Sign Bid: _____

Signor's Name and Title
(print or type): _____

Date: _____ Telephone: _____ Fax: _____

RFB2019-019 Addendum 3

Bid Proposal For
2019 Mill and Overlay - Various Streets

Page 1 of 3

Item No.	Description	Est. Qty.	Unit Meas	Unit Price	Item Amount
<u>BASE BID - MILL AND OVERLAY</u>					
1	MOBILIZATION	1	LS	_____	_____
2	SWPP PLAN AND IMPLEMENTATION	1	EA	_____	_____
3	TRAFFIC CONTROL PLAN AND IMPLEMENTATION	1	EA	_____	_____
4	MILLING 2" - 3"	110,895	SY	_____	_____
5	2" D-GR HMAC TY-C SAC-B PG 64-22	110,895	SY	_____	_____
6	BASE FAILURE REPAIR	2,749	SY	_____	_____
7	ADJUST MANHOLE COVER TO GRADE & INSTALL CONCRETE DIAMOND PER ST-7A	86	EA	_____	_____
8	ADJUST WATER VALVE COVER TO GRADE & INSTALL CONCRETE DIAMOND PER ST-7B	72	EA	_____	_____
9	REMOVE EXISTING CURB AND GUTTER	200	LF	_____	_____
10	PROPOSED CURB AND GUTTER	200	LF	_____	_____
11	REFL PAV MRK TY I (Y) 4" (SLD) (100MIL)	24,542	LF	_____	_____
12	REFL PAV MRK TY I (Y) 4" (BRK) (100MIL)	17,514	LF	_____	_____
13	REFL PAV MRK TY I (Y) 12"(SLD) (100MIL)	150	LF	_____	_____
14	REFL PAV MRK TY I (W) 4"(SLD) (100MIL)	6,735	LF	_____	_____
15	REFL PAV MRK TY I (W) 4" (BRK) (100MIL)	10,581	LF	_____	_____
16	REFL PAV MRK TY I (W) 4" (DOT) (100MIL)	1,019	LF	_____	_____
17	REFL PAV MRK TY I (W) 8" (SLD) (100MIL)	5,604	LF	_____	_____
18	REFL PAV MRK TY I (W) 8" (DOT) (100MIL)	813	LF	_____	_____
19	REFL PAV MRK TY I (W) 12" (SLD) (100MIL)	168	LF	_____	_____
20	REFL PAV MRK TY I (W) 24" (SLD) (100MIL)	457	LF	_____	_____
21	REFL PAV MRK TY I (W) 24" (SLD) (100MIL) (XWALKS)	2,150	LF	_____	_____
22	REFL PAV MRK TY I (W) ARROW (100MIL)	25	EA	_____	_____
23	REFL PAV MRK TY I (W) WORD (100MIL)	17	EA	_____	_____
24	REFL PAV MRKR TY II-A-A	721	EA	_____	_____
25	REFL PAV MRKR TY I-C	207	EA	_____	_____
26	REMOVE SMALL SIGN & SUPPORT ASSEMBLY	2	EA	_____	_____
27	REMOVE ALUMINUM SIGN (TY A)	2	EA	_____	_____
28	INSTALL ALUMINUM SIGN (TY A)	2	EA	_____	_____
29	INSTALL SMALL SIGN & SUPPORT ASSEMBLY	14	EA	_____	_____
30	REFL PAV MRK TY I (W) (100MIL) BICYCLE LANE SYMBOL MARKINGS	12	EA	_____	_____
31	REFL PAV MRK TY I (W) 36" (YLD TRI) (100MIL)	20	EA	_____	_____
32	REPLACE MANHOLE RING AND COVER PER ST-7A	20	EA	_____	_____
33	REPLACE VALVE BOX PER ST-7B	20	EA	_____	_____

ADDITIVE ALTERNATE 1 - WHEATLAND & HARVEST

34	MOBILIZATION	1	LS	_____	_____
35	SWPP PLAN AND IMPLEMENTATION	1	EA	_____	_____
36	TRAFFIC CONTROL PLAN AND IMPLEMENTATION	1	EA	_____	_____
37	MILLING 2" - 3"	10,521	SY	_____	_____
38	2" D-GR HMAC TY-C SAC-B PG 64-22	10,521	SY	_____	_____
39	BASE FAILURE REPAIR	225	SY	_____	_____
40	ADJUST MANHOLE COVER TO GRADE & INSTALL CONCRETE DIAMOND PER ST-7A	6	EA	_____	_____

ADDITIVE ALTERNATE 2 - CHAPEL ROAD

41	MOBILIZATION	1	EA	_____	_____
42	SWPP PLAN AND IMPLEMENTATION	1	EA	_____	_____
43	TRAFFIC CONTROL PLAN AND IMPLEMENTATION	1	EA	_____	_____
44	MILLING 2" - 3"	36,456	SY	_____	_____
45	2" D-GR HMAC TY-C SAC-B PG 64-22	36,456	SY	_____	_____
46	BASE FAILURE REPAIR	500	SY	_____	_____
47	ADJUST MANHOLE COVER TO GRADE & INSTALL CONCRETE DIAMOND PER ST-7A	13	EA	_____	_____
48	ADJUST WATER VALVE COVER TO GRADE & INSTALL CONCRETE DIAMOND PER ST-7B	35	EA	_____	_____
49	BACKFILL PAVEMENT EDGE (SECTIONS WITHOUT CURB AND GUTTER)	1,550	LF	_____	_____
50	REFL PAV MRK TY I (Y) 4" (SLD) (100MIL)	11,086	LF	_____	_____
51	REFL PAV MRK TY I (Y) 4" (BRK) (100MIL)	6,290	LF	_____	_____
52	REFL PAV MRK TY I (W) 4" (BRK) (100MIL)	8,542	LF	_____	_____
53	REFL PAV MRK TY I (W) 8" (SLD) (100MIL)	845	LF	_____	_____
54	REFL PAV MRK TY I (W) 8" (DOT) (100MIL)	230	LF	_____	_____
55	REFL PAV MRK TY I (W) 12" (SLD) (100MIL)	132	LF	_____	_____
56	REFL PAV MRK TY I (W) 24" (SLD) (100MIL)	126	LF	_____	_____
57	REFL PAV MRK TY I (W) 24" (SLD) (100MIL) (XWALKS)	1,070	LF	_____	_____
58	REFL PAV MRK TY I (W) ARROW (100MIL)	9	EA	_____	_____
59	REFL PAV MRK TY I (W) WORD (100MIL)	9	EA	_____	_____
60	REFL PAV MRKR TY II-A-A	196	EA	_____	_____
61	REFL PAV MRKR TY I-C	142	EA	_____	_____
62	REMOVE ALUMINUM SIGN (TY A)	2	EA	_____	_____

ADDITIVE ALTERNATE 3 - OAK ROAD

63	MOBILIZATION	1	EA	_____	_____
64	SWPP PLAN AND IMPLEMENTATION	1	EA	_____	_____
65	TRAFFIC CONTROL PLAN AND IMPLEMENTATION	1	EA	_____	_____
66	RIGHT OF WAY PREP	55	STA	_____	_____
67	MILLING 2" - 3"	16,752	SY	_____	_____
68	2" D-GR HMAC TY-C SAC-B PG 64-22	16,752	SY	_____	_____
69	BASE FAILURE REPAIR (TYPE B HMAC)	3,000	SY	_____	_____
70	ADJUST MANHOLE COVER TO GRADE & INSTALL CONCRETE DIAMOND PER ST-7A	3	EA	_____	_____
71	ADJUST WATER VALVE COVER TO GRADE & INSTALL CONCRETE DIAMOND PER ST-7B	1	EA	_____	_____
72	BACKFILL PAVEMENT EDGE (SECTIONS WITHOUT CURB AND GUTTER)	11,000	LF	_____	_____
73	REFL PAV MRK TY I (Y) 4" (SLD) (100MIL)	110	LF	_____	_____
74	REFL PAV MRK TY I (W) 12" (SLD) (100MIL)	78	LF	_____	_____
75	REFL PAV MRK TY I (W) 24" (SLD) (100MIL) (XWALKS)	50	LF	_____	_____
76	REFL PAV MRK TY I (W) ARROW (100MIL)	4	EA	_____	_____
77	REFL PAV MRK TY I (W) WORD (100MIL)	2	EA	_____	_____
78	REFL PAV MRKR TY II-A-A	100	EA	_____	_____
79	REFL PAV MRKR TY I-C	75	EA	_____	_____

TOTAL: _____

TOTAL AMOUNT OF BID _____

I WILL USE THE FOLLOWING SUBCONTRACTORS FOR THIS WORK:

<u>SUBCONTRACTOR</u>	<u>TYPE OF WORK</u>
----------------------	---------------------

FIRM NAME: _____

BY (SIGNED): _____

TITLE: _____

ADDRESS: _____

Contractor acknowledges and agrees that the official TOTAL AMOUNT OF BID is determined by multiplying the unit bid prices by the respective estimated quantities shown in this bid proposal and then totaling all of the extended amounts. Extended amounts **SHOULD NOT** be rounded up or down. All dollar amounts should be either written legibly or typed. Any mistakes should be rewritten and initialed by the Contractor.

STREET IMPROVEMENTS 2019 MILL AND OVERLAY- ESTIMATE 100%

GENERAL CONDITIONS

ITEM NO.	Unit	Description	Total Qty
1	LS	MOBILIZATION	1
2	EA	SWPP PLAN AND IMPLEMENTATION	1
3	EA	TRAFFIC CONTROL PLAN AND IMPLEMENTATION	1
STREETS:			
4	SY	MILLING 2" - 3"	110895
5	SY	2" D-GR HMAC TY-C SAC-B PG 64-22	110895
6	SY	BASE FAILURE REPAIR	2749
7	EA	ADJUST MANHOLE COVER TO GRADE & INSTALL CONCRETE DIAMOND PER ST-7A	86
8	EA	ADJUST WATER VALVE COVER TO GRADE & INSTALL CONCRETE DIAMOND PER ST-7B	72
9	LF	REMOVE EXISTING CURB AND GUTTER	200
10	LF	PROPOSED CURB AND GUTTER	200
11	LF	REFL PAV MRK TY I (Y) 4" (SLD) (100MIL)	24542
12	LF	REFL PAV MRK TY I (Y) 4" (BRK) (100MIL)	17514
13	LF	REFL PAV MRK TY I (Y) 12"(SLD) (100MIL)	150
14	LF	REFL PAV MRK TY I (W) 4" (SLD) (100MIL)	6735
15	LF	REFL PAV MRK TY I (W) 4" (BRK) (100MIL)	10581
16	LF	REFL PAV MRK TY I (W) 4" (DOT) (100MIL)	1019
17	LF	REFL PAV MRK TY I (W) 8" (SLD) (100MIL)	5604
18	LF	REFL PAV MRK TY I (W) 8" (DOT) (100MIL)	813
19	LF	REFL PAV MRK TY I (W) 12" (SLD) (100MIL)	168
20	LF	REFL PAV MRK TY I (W) 24" (SLD) (100MIL)	457
21	LF	REFL PAV MRK TY I (W) 24" (SLD) (100MIL) (XWALKS)	2150
22	EA	REFL PAV MRK TY I (W) ARROW (100MIL)	25
23	EA	REFL PAV MRK TY I (W) WORD (100MIL)	17
24	EA	REFL PAV MRKR TY II-A-A	721
25	EA	REFL PAV MRKR TY I-C	207
26	EA	REMOVE SMALL SIGN & SUPPORT ASSEMBLY	2
27	EA	REMOVE ALUMINUM SIGN (TY A)	2
28	EA	INSTALL ALUMINUM SIGN (TY A)	2
29	EA	INSTALL SMALL SIGN & SUPPORT ASSEMBLY	14
30	EA	REFL PAV MRK TY I (W) (100MIL) BICYCLE LANE SYMBOL MARKINGS	12
31	EA	REFL PAV MRK TY I (W) 36" (YLD TRI) (100MIL)	20
32	EA	REPLACE MANHOLE RING AND COVER PER ST-7A	20
33	EA	REPLACE VALVE BOX PER ST-7B	20

ADD ALTERNATE 1 - 100% (Wheatland and Harvest)

GENERAL CONDITIONS

ITEM NO.	Unit	Description	Total Qty
34	LS	MOBILIZATION	1
35	EA	SWPP PLAN AND IMPLEMENTATION	1
36	EA	TRAFFIC CONTROL PLAN AND IMPLEMENTATION	1
STREETS:			
37	SY	MILLING 2" - 3"	10521
38	SY	2" D-GR HMAC TY-C SAC-B PG 64-22	10521
39	SY	BASE FAILURE REPAIR	225
40	EA	ADJUST MANHOLE COVER TO GRADE & INSTALL CONCRETE DIAMOND PER ST-7A	6

ADD ALTERNATE 2 -100% (Chapel Rd)

GENERAL CONDITIONS

ITEM NO.	Unit	Description	Total Qty
41	LS	MOBILIZATION	1
42	EA	SWPP PLAN AND IMPLEMENTATION	1
43	EA	TRAFFIC CONTROL PLAN AND IMPLEMENTATION	1
STREETS:			
44	SY	MILLING 2" - 3"	36456
45	SY	2" D-GR HMAC TY-C SAC-B PG 64-22	36456
46	SY	BASE FAILURE REPAIR	500
47	EA	ADJUST MANHOLE COVER TO GRADE & INSTALL CONCRETE DIAMOND PER ST-7A	13
48	EA	ADJUST WATER VALVE COVER TO GRADE & INSTALL CONCRETE DIAMOND PER ST-7B	35
49	LF	BACKFILL PAVEMENT EDGE (SECTIONS WITHOUT CURB AND GUTTER)	1550
50	LF	REFL PAV MRK TY I (Y) 4" (SLD) (100MIL)	11086
51	LF	REFL PAV MRK TY I (Y) 4" (BRK) (100MIL)	6290
52	LF	REFL PAV MRK TY I (W) 4" (BRK) (100MIL)	8542
53	LF	REFL PAV MRK TY I (W) 8" (SLD) (100MIL)	845
54	LF	REFL PAV MRK TY I (W) 8" (DOT) (100MIL)	230
55	LF	REFL PAV MRK TY I (W) 12" (SLD) (100MIL)	132
56	LF	REFL PAV MRK TY I (W) 24" (SLD) (100MIL)	126
57	LF	REFL PAV MRK TY I (W) 24" (SLD) (100MIL) (XWALKS)	1070
58	EA	REFL PAV MRK TY I (W) ARROW (100MIL)	9
59	EA	REFL PAV MRK TY I (W) WORD (100MIL)	9
60	EA	REFL PAV MRKR TY II-A-A	196
61	EA	REFL PAV MRKR TY I-C	142
62	EA	REMOVE ALUMINUM SIGN (TY A)	2

ADD ALTERNATE 3 -100% (Oak Rd)

GENERAL CONDITIONS

ITEM NO.	Unit	Description	Total Qty
63	LS	MOBILIZATION	1
64	EA	SWPP PLAN AND IMPLEMENTATION	1
65	EA	TRAFFIC CONTROL PLAN AND IMPLEMENTATION	1
66	STA	PREP RIGHT OF WAY	55
STREETS:			
67	SY	MILLING 2" - 3"	16752
68	SY	2" D-GR HMAC TY-C SAC-B PG 64-22	16752
69	SY	BASE FAILURE REPAIR (TYPE B HMAC)	3000
70	EA	ADJUST MANHOLE COVER TO GRADE & INSTALL CONCRETE DIAMOND PER ST-7A	3
71	EA	ADJUST WATER VALVE COVER TO GRADE & INSTALL CONCRETE DIAMOND PER ST-7B	1
72	LF	BACKFILL PAVEMENT EDGE (SECTIONS WITHOUT CURB AND GUTTER)	11000
73	LF	REFL PAV MRK TY I (Y) 4" (SLD) (100MIL)	110
74	LF	REFL PAV MRK TY I (W) 12" (SLD) (100MIL)	78
75	LF	REFL PAV MRK TY I (W) 24" (SLD) (100MIL) (XWALKS)	50
76	EA	REFL PAV MRK TY I (W) ARROW (100MIL)	4
77	EA	REFL PAV MRK TY I (W) WORD (100MIL)	2
78	EA	REFL PAV MRKR TY II-A-A	100
79	EA	REFL PAV MRKR TY I-C	75


PUBLIC WORKS



**ENGINEERING
DIVISION**

**STREET IMPROVEMENTS 2019
MILL & OVERLAY
SCHEDULE OF QUANTITIES**

Added quantities	4/29/19	
Revised quantities	5/01/19	
NO.	REVISION	DATE



Design: B.A.S. Approved: K.L.P.
 Checked: J.R. Project Mgr.: K.L.P.
 File Name: _____

Project No. 19STR00347	Sheet No. C002
Date APRIL 2019	Scale