



**Purchasing Services**  
Post Office Box 2570  
Waco, Texas 76702-2570  
Phone: 254-750-8062  
Fax: 254-750-8063  
[KaseyG@wacotx.gov](mailto:KaseyG@wacotx.gov)  
[www.waco-texas.com](http://www.waco-texas.com)

**CITY OF WACO**

---

**Date:** 06/07/2019  
**RFB No:** 2019-021  
**Commodity:** Water System Improvements FY 16/17 Phase II Water Line Replacement, Alley between Washington and Austin Avenues  
**Purchasing Agent:** Mr. Kasey Gamblin

**Closing Time:** 2:00 P.M. CST, Thursday, June 13, 2019  
**Opening Time:** 2:01 P.M. CST, Thursday, June 13, 2019

RFB Opening Location: Operations Center, Purchasing Services Office, 1415 N. 4<sup>th</sup> St., Waco, TX 76707

---

**Addendum No: 1**

The above-mentioned RFB invitation has been changed in the following manner. **Sign and return addendum to the Purchasing Office by the closing time and date with your RFB response.** Returning this page signed by your authorized agent will serve to acknowledge this change. All other requirements of the invitation remain unchanged. If you have any questions, please call or stop by the Purchasing Office at the above address.

Firm: \_\_\_\_\_

Address \_\_\_\_\_

Signature of Person  
Authorized to Sign Bid: \_\_\_\_\_

Signor's Name and Title  
(print or type): \_\_\_\_\_

E-mail Address: \_\_\_\_\_

Date: \_\_\_\_\_ Telephone: \_\_\_\_\_ Fax: \_\_\_\_\_

**SECTION 00 91 13**

**ADDENDUM 1**

---

Addendum Issue Date:	6/7/19
Bid Date:	6/13/19
Project Name:	Water System Improvements FY 16/17, Ph 2 Water Line, Alley between Washington & Austin Avenue, 6 <sup>th</sup> – 9 <sup>th</sup> Streets
Project No.:	CWAC1700653
Owner:	City of Waco
Owner Project No.:	RFB 2019-021
Engineer:	CP&Y, Inc.

---

This addendum forms a part of the Contract Documents and modifies the original Project Manual dated May 9, 2019. Bidder shall acknowledge receipt of this addendum in the space provided below and in the space provided on the Bid Form. Failure to do so may subject Bidder to disqualification.

**QUESTIONS/ANSWERS:**

**Q1:** In order to better figure the Bypass Pumping required for this project, do you or the designer or the City know what businesses are on the line that will require bypass services and how many toilets and sinks may be included in the areas requiring bypass? or if you know the businesses, would it be O.K. for us to contact them to help determine flow rates?

**A1:** The exact number of businesses that contribute to the sanitary sewer discharge is unknown. However, video analysis of the sewer line indicated flows were approximately fifty percent of the pipe diameter. Contractor shall use a minimum of 75 GPM for bypass pumping. If sustained flows of greater than 75 GPM are experienced, Contractor may submit a request for additional compensation.

**CHANGES TO CONTRACTING REQUIREMENTS: None**

**Revise:** Special Project Provisions Item 1.11 Unit Price Adjustment to read: The Contractor will be required to hold the bid unit prices a maximum of ~~180~~ **90** calendar days after the bid opening.

**Add:** Special Project Provisions 8.14 Bacteriological Tests: If any sample(s) fail in the set of bacteriological testing, then all samples in that set will need to be tested again.


---

Please acknowledge receipt of this Addendum No. 1 by signing below and submitting with the Bid.

Acknowledged: \_\_\_\_\_

By: \_\_\_\_\_

Title: \_\_\_\_\_



David L. Marek, PE  
CP&Y, Inc.