



CITY OF WACO

Purchasing Services
Post Office Box 2570
Waco, Texas 76702-2570
254 / 750-8405
Fax: 254 / 750-8063
www.waco-texas.com

Date: 12/18/2018
RFB No: 2018-078
Commodity: South 26th Street Improvements

Closing Time: 2:00 P.M., December 20, 2018
Opening Time: 2:01 P.M., December 20, 2018

Bid Opening Location: Purchasing Services Office
1415 N. 4th Street, Waco, TX

Addendum No: 3

The above-mentioned bid invitation has been changed in the following manner. **Sign and return addendum to the Purchasing Office by the closing time and date with your RFB response.** Returning this page signed by your authorized agent will serve to acknowledge this change. All other requirements of the invitation remain unchanged. If you have any questions, please call or stop by the Purchasing Office at the above address.

THE FOLLOWING IS BEING ISSUED AS ADDENDUM NO.3

~~Closing Time: 2:00 P.M., December 18, 2018~~
~~Opening Time: 2:01 P.M., December 18, 2018~~

Closing Time: 2:00 P.M., December 20, 2018
Opening Time: 2:01 P.M., December 20, 2018

PLEASE REVIEW THE FOLLOWING PAGES

Firm: _____

Address _____

Signature of Person
Authorized to Sign Bid: _____

Signor's Name and Title
(print or type): _____

Date: _____ Telephone: _____ Fax: _____

ADDENDUM No. 3
CONTRACT DOCUMENTS, SPECIFICATIONS, AND DRAWINGS
FOR

City of Waco
26th Street Improvements

Date: December 18, 2018

City of Waco 26th Street Improvements

This addendum forms a part of the Contract and clarifies, corrects or modifies original Bid Documents, dated November 8, 2018. Acknowledge receipt of this addendum in space provided on bid form. Failure to do so may subject bidder to disqualification.

General

No items.

Revisions to the Bid Form:

1. Replace the bid form in its entirety. The following is a list of revisions made to the bid form:
 - a. Item No. 2.00. Update Est. Qty. to "28" CY.
 - b. Item No. 2.02. Update Description to "LIME TRT (SUBGRADE)(8)".
 - c. Item No. 2.03. Update Description to "PORTLAND CEMENT TREATMENT (PUG BASE)(SLURRY)".
 - d. Item No. 2.06. Update Description to "D-GR HMA(SQ) TY-C PG70-22".
 - e. Item No. 2.17. Update Description to "27" DIA. (0.5" THICK) STEEL CASING PIPE - INSTALL BY HORIZONTAL AUGER BORE" and Est. Qty. to "457" LF.
 - f. Add Item No. 2.44. 27" DIA. (0.5" THICK) STEEL CASING PIPE - INSTALL BY OPEN CUT. 38 LF.
 - g. Item No. 3.00. Update Est. Qty. and Unit to "841 CY".
 - h. Item No. 3.02. Update Description to "LIME TRT (SUBGRADE)(8)".
 - i. Item No. 3.03. Update Description to "PORTLAND CEMENT TREATMENT (PUG BASE)(SLURRY)".
 - j. Item No. 3.06. Update Description to "D-GR HMA(SQ) TY-C PG70-22".
 - k. Item No. 4.08. Update Est. Qty. and Unit to "21627 SY".
 - l. Item No. 4.09. Update Est. Qty. and Unit to "814 TON".
 - m. Item No. 4.12. Update Description to "D-GR HMA(SQ) TY-C PG70-22".

Revisions to the Drawings:

No items.

This addendum consists of 1 page.

Addendum 3
 Bid Proposal for S. 26th Street Improvements

Item No.	Description	Est. Qty.	Unit Meas.	Unit Price	Item Amount
<u>GENERAL CONDITIONS</u>					
1.00	MOBILIZATION AND DEMOBILIZATION	1	LS	_____	_____
1.01	STORMWATER POLLUTION PREVENTION PLAN (INCLUDES EROSION CONTROL AND SEDIMENTATION PLAN)	1	LS	_____	_____
1.02	STORMWATER POLLUTION PREVENTION IMPLEMENTATION (INCLUDES EROSION CONTROL AND SEDIMENTATION IMPLEMENTATION)	1	LS	_____	_____
1.03	TRAFFIC CONTROL PLAN	13	MO	_____	_____
1.04	TRAFFIC CONTROL IMPLEMENTATION	13	MO	_____	_____
1.05	TRENCH SAFETY PLAN	10639	LF	_____	_____
1.07	CITY OF WACO PROJECT SIGN	4	EA	_____	_____
	GENERAL CONDITIONS SUBTOTAL:				_____
<u>SEWER IMPROVEMENTS</u>					
2.00	EXCAVATION (ROADWAY)	28	CY	_____	_____
2.01	LIME (HYDRATED LIME (SLURRY))	2	TON	_____	_____
2.02	LIME TRT (SUBGRADE)(8")	69	SY	_____	_____
2.03	PORTLAND CEMENT TREATMENT (PUG BASE)(SLURRY)	69	SY	_____	_____
2.04	CEMENT	2	TON	_____	_____
2.05	PRIME COAT (RC-250)	21	GAL	_____	_____
2.06	D-GR HMA(SQ) TY-C PG70-22	15	TON	_____	_____
2.07	6" SDR-26 PVC SEWER LINE (+5'-10' STREET TRENCH) INCLUDING EXCAVATION AND BACKFILL	179	LF	_____	_____
2.08	8" SDR-26 PVC SEWER LINE (+5'-10' STREET TRENCH) INCLUDING EXCAVATION AND BACKFILL	719	LF	_____	_____
2.09	10" SDR-26 PVC SEWER LINE (+5'-10' STREET TRENCH) INCLUDING EXCAVATION AND BACKFILL	57	LF	_____	_____
2.10	12" SDR-26 PVC SEWER LINE (+0'-5' STREET TRENCH) INCLUDING EXCAVATION AND BACKFILL	372	LF	_____	_____
2.11	12" SDR-26 PVC SEWER LINE (+5'-10' STREET TRENCH) INCLUDING EXCAVATION AND BACKFILL	3930	LF	_____	_____
2.12	12" SDR-26 PVC SEWER LINE (+10'-15' STREET TRENCH) INCLUDING EXCAVATION AND BACKFILL	412	LF	_____	_____
2.13	15" SDR-26 PVC SEWER LINE (+10'-15' STREET TRENCH) INCLUDING EXCAVATION AND BACKFILL	815	LF	_____	_____
2.14	15" SDR-26 PVC SEWER LINE INCLUDING HORIZONTAL AUGER BORING	457	LF	_____	_____
2.15	150 PSI RATED 8" SDR-26 PVC SEWER LINE (+5'-10' STREET TRENCH) INCLUDING EXCAVATION AND BACKFILL	36	LF	_____	_____
2.16	20" DIA. (MIN. 15" I.D.) DR 11 HDPE SEWER LINE INCLUDING PIPE BURST	518	LF	_____	_____

Addendum 3
 Bid Proposal for S. 26th Street Improvements

Item No.	Description	Est. Qty.	Unit Meas.	Unit Price	Item Amount
2.17	27" DIA. (0.5" THICK) STEEL CASING PIPE - INSTALL BY HORIZONTAL AUGER BORE	457	LF		
2.18	CONCRETE ENCASEMENT CENTER JOINT	392	LF		
2.19	4" (MIN.) SANITARY SEWER SERVICE (SHORT) W/ 2-WAY CLEANOUT AND CONNECT TO PRIVATE SERVICE W/ CURB AND GUTTER REPLACEMENT	47	EA		
2.20	4" (MIN.) SANITARY SEWER SERVICE (LONG) W/ 2-WAY CLEANOUT AND CONNECT TO PRIVATE SERVICE W/ CURB AND GUTTER REPLACEMENT	42	EA		
2.21	RELOCATE EXISTING PRIVATE 4" SCH. 40 PVC SANITARY SEWER SERVICE (FRONT OR SIDE YARD TO ROW)	2	EA		
2.22	6" (MIN.) SANITARY SEWER SERVICE (LONG) W/ 2-WAY CLEANOUT AND CONNECT TO COMMERCIAL SERVICE	2	EA		
2.23	RELOCATE EXISTING PRIVATE 6" SCH. 40 PVC SANITARY SEWER SERVICE (LONG) (FRONT OR SIDE OF BUILDING TO ROW)	1	EA		
2.24	BYPASS PUMPING	1	LS		
2.25	NEW 4' DIAMETER MANHOLE (0-5' DEEP) WITH STANDARD COVER AND CONCRETE COLLAR	58	EA		
2.26	EXTRA DEPTH FOR 4' DIAMETER MANHOLE OVER 5' DEEP	191	VF		
2.27	REHABILITATE 4' DIAMETER MANHOLE (10'-16' DEEP) WITH STANDARD COVER AND CONCRETE COLLAR	2	EA		
2.28	ABANDON 4' DIAMETER MANHOLE (10'-16' DEEP) WITH STANDARD COVER	2	EA		
2.29	REMOVE EXISTING 4' DIA.MANHOLE (10'-16' Deep) WITH STANDARD COVER	30	EA		
2.30	CONNECT EXISTING SANITARY SEWER TO NEW OR REHABILITATED MANHOLE	11	EA		
2.31	CONNECT SANITARY SEWER TO EXISTING MANHOLE	3	EA		
2.32	REMOVE EXISTING 6" SANITARY SEWER LINE	203	LF		
2.33	REMOVE EXISTING 8" SANITARY SEWER	795	LF		
2.34	REMOVE EXISTING 10" SANITARY SEWER LINE	1337	LF		
2.35	REMOVE EXISTING 12" SANITARY SEWER	1098	LF		
2.36	ABANDON EXISTING 6" SANITARY SEWER LINE	100	LF		
2.37	ABANDON EXISTING 8" SANITARY SEWER LINE	658	LF		
2.38	ABANDON EXISTING 10" SANITARY SEWER LINE	316	LF		
2.39	ABANDON EXISTING 12" SANITARY SEWER LINE	1467	LF		
2.40	ABANDON EXISTING 15" SANITARY SEWER LINE	466	LF		
2.41	DEMOLISH EXISTING CHAIN LINK FENCE W/ SWING GATE	72	LF		
2.42	NEW CHAIN LINK FENCE W/ SWING GATE	72	LF		
2.43	VIDEO NEW SANITARY SEWER LINE	6099	LF		
2.44	27" DIA. (0.5" THICK) STEEL CASING PIPE - INSTALL BY OPEN CUT	38	LF		

Addendum 3
 Bid Proposal for S. 26th Street Improvements

Item No.	Description	Est. Qty.	Unit Meas.	Unit Price	Item Amount
SEWER IMPROVEMENTS SUBTOTAL:					
<u>WATER IMPROVEMENTS</u>					
3.00	EXCAVATION (ROADWAY)	841	CY		
3.01	LIME (HYDRATED LIME (SLURRY))	57	TON		
3.02	LIME TRT (SUBGRADE)(8")	2177	SY		
3.03	PORTLAND CEMENT TREATMENT (PUG BASE)(SLURRY)	2177	SY		
3.04	CEMENT	72	TON		
3.05	PRIME COAT (RC-250)	653	GAL		
3.06	D-GR HMA(SQ) TY-C PG70-22	479	TON		
3.08	HYDROSTATIC TESTING	3	EA		
3.09	TEMPORARY WATER SERVICE	1	LS		
3.11	8" C-900 PVC WATER LINE (+0'-5' STREET TRENCH) INCLUDING EXCAVATION AND BACKFILL	466	LF		
3.12	12" C-900 PVC WATER LINE (+0'-5' STREET TRENCH) INCLUDING EXCAVATION AND BACKFILL	3083	LF		
3.13	12" C-900 PVC WATER LINE (+5'-10' STREET TRENCH) INCLUDING EXCAVATION AND BACKFILL	725	LF		
3.14	CONCRETE ENCASEMENT CENTER JOINT	36	LF		
3.15	8" GATE VALVE	13	EA		
3.16	12" GATE VALVE	19	EA		
3.17	1" WATER (SHORT) SERVICE CONNECTION W/ CURB AND GUTTER REPLACEMENT	50	EA		
3.18	1" WATER (LONG) SERVICE CONNECTION W/ CURB AND GUTTER REPLACEMENT	46	EA		
3.19	FIRE HYDRANT ASSEMBLY	9	EA		
3.20	REMOVE EXISTING FIRE HYDRANT ASSEMBLY	6	EA		
3.21	8" 11.25° BEND, DI, MJ	2	EA		
3.22	6" 45° BEND, DI, MJ	2	EA		
3.23	8" 45° BEND, DI, MJ	12	EA		
3.24	8" x 6" REDUCER, DI, MJ	4	EA		
3.25	12" 11.25° BEND, DI, MJ	5	EA		
3.26	12" 45° BEND, DI, MJ	23	EA		
3.27	12" 90° BEND, DI, MJ	1	EA		
3.28	6" x 6" TEE, DI, MJ	2	EA		

Addendum 3
 Bid Proposal for S. 26th Street Improvements

Item No.	Description	Est. Qty.	Unit Meas.	Unit Price	Item Amount
3.29	8" x 8" TEE, DI, MJ	1	EA	_____	_____
3.30	12" x 12" TEE, DI, MJ	4	EA	_____	_____
3.31	12" x 8" REDUCING TEE, DI, MJ	14	EA	_____	_____
3.32	CONNECT TO EXISTING WATER LINE	20	EA	_____	_____
3.33	12" WET TAP EXISTING 20" PCCP	1	EA	_____	_____
3.34	12" WET TAP EXISTING 24" PCCP	1	EA	_____	_____
3.35	ABANDON EXISTING 4" WATER LINE	375	LF	_____	_____
3.36	ABANDON EXISTING 8" WATER LINE	23	LF	_____	_____
3.37	ABANDON EXISTING 12" WATER LINE	3060	LF	_____	_____
3.38	REMOVE EXISTING 4" WATER LINE	53	LF	_____	_____
3.39	REMOVE EXISTING 8" WATER LINE	25	LF	_____	_____
3.40	REMOVE EXISTING 12" WATER LINE	567	LF	_____	_____
	WATER IMPROVEMENTS SUBTOTAL:				_____

ROADWAY IMPROVEMENTS

4.00	REMOVING CONC (DRIVEWAYS)	334	SY	_____	_____
4.01	REMOVING CONC (CURB AND GUTTER)	3482	LF	_____	_____
4.02	EXCAVATION (ROADWAY)	8361	CY	_____	_____
4.03	EMBANKMENT (FINAL)(ORD COMP)(TY A)	66	CY	_____	_____
4.04	FURNISHING AND PLACING TOPSOIL (4")	1705	SY	_____	_____
4.05	BLOCK SODDING	1705	SY	_____	_____
4.06	VEGETATIVE WATERING	28	MG	_____	_____
4.07	LIME (HYDRATED LIME (SLURRY))	414	TON	_____	_____
4.08	LIME TRT (SUBGRADE)(8")	21627	SY	_____	_____
4.09	CEMENT	814	TON	_____	_____
4.10	PORTLAND CEMENT TREATMENT (PUG BASE)(SLURRY)	21627	SY	_____	_____
4.11	PRIME COAT (RC-250)	3923	GAL	_____	_____
4.12	D-GR HMA(SQ) TY-C PG70-22	5128	TON	_____	_____
4.13	PLANE ASPH CONC PAV (2")	5162	SY	_____	_____
4.14	ADJUSTING MANHOLES	14	EA	_____	_____
4.15	SANDBAGS FOR EROSION CONTROL (6")	260	LF	_____	_____
4.16	CONC CURB & GUTTER (TY II)	3482	LF	_____	_____

Addendum 3
 Bid Proposal for S. 26th Street Improvements

Item No.	Description	Est. Qty.	Unit Meas.	Unit Price	Item Amount
4.17	DRIVEWAYS (CONC)	334	SY		
4.18	CONDT (PVC) (SCH 40) (3")	145	LF		
4.19	CONDT (PVC) (SCH 40) (3") (BORE)	190	LF		
4.20	ELEC CONDR (NO.8) BARE	335	LF		
4.21	IN SM RD SN SUP&AM TY10BWG(1) SA(P)	22	EA		
4.22	WK ZN PAV MRK REMOV (Y)4"(SLD)	8066	LF		
4.23	REFL PAV MRK TY I (W)4"(SLD)(090MIL)	15478	LF		
4.24	REFL PAV MRK TY I (W)8"(SLD)(090MIL)	100	LF		
4.25	REFL PAV MRK TY I (W)12"(SLD)(090MIL)	40	LF		
4.26	REFL PAV MRK TY I (W)24"(SLD)(090MIL)	289	LF		
4.27	REFL PAV MRK TY I (W)(ARROW)(090MIL)	2	EA		
4.28	REFL PAV MRK TY I (W)(WORD)(090MIL)	1	EA		
4.29	REFL PAV MRK TY I (W)(BIKE ARW)(090MIL)	17	EA		
4.30	REFL PAV MRK TY I(W)(BIKE SYML)(090MIL)	17	EA		
4.31	REFL PAV MRK TY I(W)(BIKE WORD)(090MIL)	12	EA		
4.32	REFL PAV MRK TY I (Y)4"(SLD)(090MIL)	8066	LF		
4.33	REFL PAV MRKR TY I-C	5	EA		
4.34	REFL PAV MRKR TY II-A-A	109	EA		
4.35	INSTALL HWY TRF SIG (UPGRADE)	1	EA		
4.36	PAV MRK TY I (GREEN BIKE BOX)	320	SF		
4.37	VIVDS PROCESSOR SYSTEM	1	EA		
4.38	VIVDS CAMERA ASSEMBLY	4	EA		
4.39	VIVDS SET-UP SYSTEM	1	EA		
4.40	VIVDS COMMUNICATION CABLE (COAXIAL)	923	LF		
ROADWAY IMPROVEMENTS SUBTOTAL:					_____
TOTAL BASE BID:					_____
TOTAL AMOUNT OF MATERIALS					_____
TOTAL AMOUNT OF LABOR & EQUIPMENT					_____
TOTAL AMOUNT OF BASE BID					_____

Addendum 3
Bid Proposal for S. 26th Street Improvements

Item No.	Description	Est. Qty.	Unit Meas.	Unit Price	Item Amount
----------	-------------	-----------	------------	------------	-------------

I WILL USE THE FOLLOWING SUBCONTRACTORS FOR THIS WORK:
SUBCONTRACTOR

TYPE OF WORK

FIRM NAME: _____

BY (SIGNED): _____

TITLE: _____

ADDRESS: _____

Contractor acknowledges and agrees that the official TOTAL AMOUNT OF BID is determined by multiplying the unit bid prices by the respective estimated quantities shown in this bid proposal and then totaling all of the extended amounts. Extended amounts SHOULD NOT be rounded up or down. All dollar amounts should be written legibly or typed.